


2ch TTL \Leftrightarrow RS422 LEVEL CONVERTER with Polarity switch

«ABSTRACT»

- ◆ This module has each of 2 channel that converts TTL signal to RS422 signal and RS422 signal to TTL signal. Also it has a polarity changing switch for TTL outputs.
- ◆ 3 pin type standard LEMO connector* is used for RS422 input and output.
And the standard LEMO connector is used for TTL input and output.

«Specifications»

Input characteristics;

- ◇ TTL input : 2CH/impedance 10k Ω
- ◇ RS422 input : 2CH/impedance 120 Ω

Output characteristics;

- ◇ TTL output : 2CH/impedance 10k Ω (it can change the polarity.)
- ◇ RS422output : 2CH/impedance 120 Ω

- ◆ Packaging : NIM standard single-width module.
- ◆ Consumption current : According to load condition

* 1 pin type LEMO connector(floating type) is prepared for it.



KAIZUWORKS CORPORATION
 9-18 HIGASHIMATSUBARA HAKONEGASAKI MIZUHOMACHI
 NISHITAMAGUN TOKYO 190-1222 JAPAN
 Tel : 042-568-0866 Fax : 042-568-0867

E-mail kaizuwks@kaizuworks.co.jp Homepage <http://www.kaizuworks.co.jp>